To: FARNELL ELECTRONIC COMPONENTS LTD INTERNATIONAL DISTRIBUTION

Issue No.	: V-S-E-248
Date of Issue	: February 18, 2014
Classification	: New,Changed

PRODUCT SPECIFICATION FOR APPROVAL Product Description : Aluminum Electrolytic Capacitor

Customer Part Number	: Adminum Electrolytic Capacitor
Product Part Number	: EEE1CA221UP
Country of Origin Applications	 Japan, Malaysia (Printed on the packaging label) It has the intention of being used for a general electronic circuit given in a notice matter (limitation of a use). On the occasion of application other than the above, even person in charge of our company needs to inform in advance.

% If you approve this specification, please fill in and sign the below and return 1copy to us.

	:			
Approval Date	:			÷
Executed by	:			
		(signature)		-
Title	:			
Dept.	:			

Capacitor Business Division Automotive & Industrial Systems Company Panasonic Corporation

25.Kowata-nishinaka, Uji City, Kyoto, 611-8585, Japan Phone :+81-774-32-1111 Phone :+81-774-33-3209(Direct) Prepared by

: Engineering Team 1 Design & Application Engineering Group

Contact Person Signature Name(Print) Title

Checked by Signature Name(Print) Title

Authorized by Signature Name(Print) Title

۱	完 團	(P)
	: Ryoko Takaoka : Engineer	_
	(FI)	
	: Takaaki Uchiyama : Manager	-
	: Hiromichi Yamamoto : General Manager of Engine	— ering
	No. 4857934	



Revision Record

Customer Part No.	Product Part No.	Note
	EEE1CA221UP	Guidelines-ALV-S1-5

No.	Pg	Revised Date	Enforce Date	Contents	Approval	Accepted No.
Initia	l Date	e February 1	8, 2014	New	H. Vamamoto	
\square						
\square				· · · · · · · · · · · · · · · · · · ·		
\square						
\square						
\square						
\square						
\square						
$\left \right $						
\square						
\square						
\square						
\square						

Product Specificatio	on	V-S-E-248
		Page No. Contents
Contents Notice matter	P.1	
Scope	P.2	
Parts Number	P.2	
Parts Lists	P.2	
Dimensions	P.3	
Constructions	P.4	
Marking	P.4	
Lot No. System	P.5	
Standard Rating	P.6	
Performance Characteristics	P.7 ~ P.9	
Other Characteristics	P.9	
Reflow Soldering and Temperature Profile	P.10	
Taping Shape and Dimensions	P.11	
Carrier Tape Packing Method	P.12 ~ P.13	
Package Label Example	P.14 ~ P.15	
Application Guidelines	Guidelines-1 ~ 4	


Pro	duct Specification	V-S-E-248							
		1							
Notice matter									
 Law and regulation which 	 Law and regulation which are applied 								
	 This product complies with the RoHS Directive (Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (DIRECTIVE 2011/65/EU). 								
No Ozone Depleting Che are used in producing thi	emicals(ODC's), controlled under the Montreal Protocol Agree is product.	ement,							
·We do not PBBs or PBD	Es as brominated flame retardants.								
	used for this product are registered as "Known Chemicals" ir amination and Regulation of Manufacture, etc. of Chemical S								
	followed export related regulations, such as foreign exchange casion of export of this product Thank you for your considerat	•							
 Usage limitation 									
home appliances, comp High reliability and safet harm to a human life or	 This capacitor is designed to be used for electronics circuits such as audio/visual equipment, home appliances, computers and other office equipment, optical equipment, and measuring equipment. High reliability and safety are required [be / a possibility that incorrect operation of this product may do harm to a human life or property] more. When use is considered by the use, the delivery specifications which suited the use separately need to be exchanged. 								
 Country of origin : JAPAN 	, MALAYSIA								
 Manufacturing factory : 									
	1285, Sakutaguchi, Asada,Yamaguchi City, Yamaguchi 753-8536 Japan								
	Panasonic Industrial Devices Malaysia Sdn. Bhd.								
No.1 Jalan Jemuju 16/13,40200 Shah Alam,Selangor Darul Ehsan, MALAYSIA									

Product Specification	V-S-E-248
	2
 Scope Fixed capacitors for use in electronic equipment, Surface Mount Type Aluminum electro with non-solid electrolyte. 	olytic capacitors
2. Parts number	
EEE 1C A 221 U P 2-1 2-2 2-3 2-4 2-3 2-5	
2-1 Aluminum Electrolytic Capacitor (Lead-Free Products.)	
2-2 Rated Voltage Code voltage code 1C rated voltage(V.DC) 16	
• 2-3 AOOOU : S series Expanded capacitance range (φ 8)	
 2-4 Capacitance Code: Indicate capacitance In µF by 3 letters. The first 2 figure and the third denotes the number of zeros. "R" denotes the decimal point and all figures are the actual number with "R" 	
ex. 2.2 $\mu F \rightarrow 2R2$, $1\mu F \rightarrow 010$, $10\mu F \rightarrow 100$, $100\mu F \rightarrow 101$, 1000	$\mu F \rightarrow 102$
2-5 Suffix Code for Appearance: Taping Code P 16.0mm width (Size code "E")	
See the drawing in item 11 for the polarity alignment.	

Parts lists

Size Code	Taping Part No.	R.V. [V.DC]	Cap. [µF] (120Hz) (20°C)	Tangent of Loss Angle (tanδ) max. (120Hz) (20°C)	Leakage Current [µA] max. (After 2 min.)	Rated Ripple Current [mA rms] max. (120Hz) (85°C)
E	EEE1CA221UP	16	220	0.20	35.2	200

3. Dimensions




() Reference size

[mm]

[mm]

Size Code	D	L	A,B	Н		W	Р	K
E	8.0	6.2 ±0.3	8.3	9.5max	3.4	0.65±0.1	2.2	0.35 +0.15 -0.20



4-2 Construction parts

	Parts	Materials		Parts	Materials
1	Terminal	Bi contained tin plated Tinned Copper-Clad Steel wire	5	Separator	Cellulose
2	Isolator	The rmo-plastic Resin	6	Anode Foil	High Purity Aluminum Foil
3	Alumin um Can	Aluminum	7	Cathode Foil	Aluminum Foil
4	Sealing Rubber	Synthetic rubber (IIR)	8	Electrolyte	Organic Solvent , Organic Acid (No Quaternary Salt)


5. Marking


Marking Color : BLACK

Following items shall be marked on the body of Capacitor.

- a) Rated Voltage (6.3V of rated voltage shall be marked as 6V, but 6.3V shall be assured.)
- b) Capacitance
- c) Negative Polarity
- d) Series Mark
- e) Lot No. (It indicates to Lot No. System)
- f) Mark for Lead-Free Products.

The Ceiling Indication





6. Standard rating

N⁰	Item	Ratings			
1	Category Temperature Range	-40°C ∼ +85°C			
2	Rated Voltage Range	16 V.DC			
3	Capacitance Range	220 μF (120Hz 20°C			
4	Capacitance Tolerance			±20%	(120Hz 20°C)
5	Surge Voltage	R.V.	16		
	(V.DC)	S.V.	20		
6	Rated Ripple Current			Parts lists and Table 2	

7. Performance Characteristics

No	Item	Performance Characteristics	Test		
1	Leakage Current	≦ I=0.01CV	Series Resistor : $1000\Omega \pm 10\Omega$		
	Ũ		Applied Voltage : Rated voltage		
		∫ I:Leakage current C:Capacitance)	Measuring : After 2 minutes		
		V:Rated voltage			
2	Capacitance	Within the specified capacitance tolerance.	Measuring Frequency : 120Hz±20%		
			Measuring Circuit : Equivalent series circuit		
			Measuring Voltage $\therefore \leq 0.5 \text{ V r.m.s.} + 0 \text{V.DC}$		
3	Tangent of Loss	Less than the value of Partlists.	Measuring Frequency : 120Hz±20%		
Ŭ	Angle		Measuring Circuit : Equivalent series circuit		
	(tanδ)		Measuring Voltage : $\leq 0.5 \text{ V r.m.s.} + 0 \text{V.DC}$		
	(tario)				
4	Charact- Step 2	Impedance Ratio:			
	eristics at	Less than the table 1 value of item 8	Step Test Temperature(°C) Time		
	High and	ratio against step 1.	1 20±2 —		
	Low Tem-Step 4	Leakage Current:	2 -25±3, -40±3 30 min.		
	perature	\leq 500% of the value of item 7.1.	3 20±2 10 min.~15 min.		
		Capacitance Change:	4 85±2 30 min.		
		Within ±25% of the value in step 1.	5 20±2 10 min.~15 min.		
		Tangent of Loss Angle (tanδ):	Impedance should be measured 120Hz±10%.		
_	Ourses	≦the value of item 7.3.	Test terres of 5°0, 05°0		
5	Surge	Leakage Current: ≦the value of item 7.1.	Test temperature : 15℃~35℃		
		Capacitance Change:	Series Protective Registered : D		
		Within ±15% of initial measured value.	Series Protective Resistance : $R = \frac{100 \pm 50}{100 \pm 50}$		
		Tangent of Loss Angle $(\tan \delta)$:	$c \mathbf{P}$: Protoctive resistance $(k \mathbf{O})$		
		≦the value of item 7.3.	$ \begin{pmatrix} R: & Protective resistance(k\Omega) \\ C: & Capacitance(\muF) \end{pmatrix} $		
		Appearance:	Test voltage : Surge voltage item 6.5		
		No significant change can be observed.	Applied voltage 1000 cycles of 30s±5s		
			"ON"and 5 min 30 s"OFF".		
6	6 Robustness of There is no damage or breakage after test. After fixing the capacitors, the terminals a		After fixing the capacitors, the terminals are		
	Termination		pulled in a vertical direction.		
		Load is gradually increased until it reached			
			the value specified below and held for 10		
			seconds.		
			Pull Strength 10N		
			Pull Strength10NKeep time10s±1s		

No	ltem	Performance Characteristics	Test
7	Vibration	Capacitance : During test, measured value shall be stabilized.(Measured several times within 30 min. before completion of test) Appearance : No significant change can be observed. Capacitance Change : Within ±5% of initial measured value.	Frequency : 10 Hz~ 55Hz (1 minute per cycle.) Total amplitudes : 1.5 mm Direction and duration of vibration : It is done in the X,Y,Z axis direction for 2 hours each, with a total of 6 hours.
8	Solderability	More than 95% of the termin al surface shall be covered with new solder. Exclude the cross-section of cutting lead edge.	Solder Type : Sn-3.0Ag-0.5Cu Solder Temperature : 245°C±3°C Immersing Time : 3s±0.3s Immersing Depth : Dip the terminals for Approx. 0.5mm~1mm thick Flux : Approx 25% rosin(JIS K5902) in Ethanol(JIS K8101)
9	Resistance to Soldering heat	Leakage Current : ≦the value of item 7.1. Capacitance Change : With in ±10% of initial measured value. Tangent of Loss Angle (tanδ) : ≦the value of item 7.3. Appearance : No significant change can be observed.	After reflow soldering (item 9) The capacitor shall be left at room temperature for before measurement.
10	Solvent Resistance of the Marking	There shall be no damage end legibly marked. Marking can be deciphered easily.	Class of Reagent : Isopropyl Alcohol Test Temperature : 20°C~25°C Immersing time : 30s±5s
11	Damp Heat (steady state)	Leakage Current : ≦the value of item 7.1. Capacitance Change : With in ±20% of initial measured value. Tangent of Loss Angle (tanδ) : ≦120% the value of item 7.3. Appearance : No significant change can be observed.	Test Temperature : 40°C±2°C Relative Humidity : 90%~95% Test Duration : 240hours±8hours After subjected to the test, the capacitors shall be left for 2 hours at room temperature and room humidity prior to the measurement.

9

No	Item	Performance characteristics	Test
12	Endurance	Leakage Current :	Test Temperature : 85°C±2°C
		\leq the value of item 7.1.	Test Duration : 2000 ⁺⁷² 0 hours
		Capacitance change :	Applied Voltage : Rated voltage
		Within ±20% of initial measured value.	
		Tangent of Loss Aangle (tanδ):	After subjected to the test, the capacitors shall
		\leq 200% of the value of item 7.3.	be left at room temperature and room humidity
		Appearance :	for 2 hours prior to the measurement.
		No significant change can be observed.	
13	Shelf Life	Leakage Current :	Test Temperature : 85°C±2 °C
		\leq the value of item 7.1.	Test Duration : 1000 ⁺⁴⁸ 0 hours
		Capacitance change :	
		Within ±20% of initial measured value.	After subjected to the test, D.C. rated
		Tangent of Loss Aangle (tanδ):	voltage shall be applied to the capacitors for
		\leq 200% of the value of item 7.3.	30 minutes as post-test treatment after left
		Appearance :	at the room temperature and humidity for 2
		No significant change can be observed.	hours prior to the measurement.

* Voltage treatment : The rated voltage shall be applied to the capacitors, which are connected to series protective resistors ($1000\Omega \pm 10\Omega$), for 30 minutes as a posttest treatment (performing discharge).


8. Other Characteristics


Table1. Characteristics at low temperature Impedance ratio (at 120Hz)


R. V. (V.DC)	16
Z(-25°C)/Z(20°C)	2
Z(-40°C)/Z(20°C)	4

■ Table 2. Frequency Correction Factor of Rated Ripple Current


	50, 60	120	1k	10k~
coefficient	0.70	1.0	1.3	1.7









Panasonic Corporation







Product	Specification
---------	---------------

Guideline-ALV-S1-5

Application Guidelines

- * This specification guarantees the quality and performance of the product as individual components.
- Before use, check and evaluate their compatibility with installed in your products.
- * Do not use the products beyond the specifications described in this document.
- * Install the following systems for a failsafe design to ensure safety if these products are to be used in equipment where a defect in these products may cause the loss of human life or other signification damage, such as damage to vehicles (automobile, train, vessel), traffic lights, medical equipment, aerospace equipment, electric heating appliances, combustion/ gas equipment, rotating equipment, and disaster/crime prevention equipment.
 - The system is equipped with a protection circuit and protection device.
 - The system is equipped with a redundant circuit or other system to prevent an unsafe status in the event of a single fault.

* Before using the products, carefully check the effects on their quality and performance, and determined whether or not they can be used. These products are designed and manufactured for general-purpose and standard use in general electronic equipment.

These products are not intended for use in the following special conditions.

- 1. In liquid, such as Water, Oil, Chemicals, or Organic solvent
- 2. In direct sunlight, outdoors, or in dust
- 3. In vapor, such as dew condensation water of resistive element, or water leakage, salty air, or air with a high concentration corrosive gas, such as Cl2, H2S, NH3, SO2, or NO2
- 4. In an environment where strong static electricity or electromagnetic waves exist
- 5. Mounting or placing heat-generating components or inflammables, such as vinyl-coated wires, near these products
- 6. Sealing or coating of these products or a printed circuit board on which these products are mounted, with resin and other material
- 7. Using resolvent, water or water-soluble cleaner for flux cleaning agent after soldering.
 - (In particular, when using water or a water-soluble cleaning agent, be careful not to leave water residues)
- * Please arrange circuit design for preventing impulse or transitional voltage.

Do not apply voltage, which exceeds the full rated voltage when the capacitors receive impulse voltage, instantaneous high voltage, high pulse voltage etc.

* Electrolyte is used in the products. Therefore, misuse can result in rapid deterioration of characteristics and functions of each product. Electrolyte leakage damages printed circuit and affects performance, characteristics, and functions of customer system.

1. Circuit Design

1.1 Operating Temperature and Frequency

Electrical parameters for electrolytic capacitors are normally specified at 20 °C temperature and 120 Hz frequency.

- These parameters vary with changes in temperature and frequency. Circuit designers should take these changes into consideration. (1) Effects of operating temperature on electrical parameters
 - a) At higher temperatures, leakage current and capacitance increase while equivalent series resistance (ESR) decreases.
 - b) At lower temperatures, leakage current and capacitance decrease while equivalent series resistance (ESR) increases.
- (2) Effects of frequency on electrical parameters
 - a) At higher frequencies, capacitance and impedance decrease while tan $\delta\,$ increases.
- b) At lower frequencies, heat generated by ripple current will rise due to an increase in equivalent series resistance (ESR).

1.2 Operating Temperature and Life Expectancy

L

- (1) Expected life is affected by operating temperature. Generally, each 10 °C reduction in temperature will double the expected life. Use capacitors at the lowest possible temperature below the upper category temperature.
- (2) If operating temperatures exceed the upper category limit, rapid deterioration of electrical parameter will occur and irreversible damage will result.

Check for the maximum capacitor operating temperatures including ambient temperature, internal capacitor temperature rise due to ripple current, and the effects of radiated heat from power transistors, IC's or resistors.

- Avoid placing components, which could conduct heat to the capacitor from the back side of the circuit board.
- (3) The formula for calculating expected life at lower operating temperatures is as follows ;

$$L_2 = L_1 \times 2^{\frac{T_1 - T}{10}}$$

- $L_1~:~$ Guaranteed life (h) at temperature, $T_1\ ^\circ \! C$
- L_2 : Expected life (h) at temperature, T_2 °C
- T_1 : Upper category temperature (°C)
- T_2 : Actual operating temperature, ambient temperature + temperature rise due to ripple current heating(°C)

(4) Please use according to the lifetime as noted in this specification. Using products beyond end of the lifetime may change characteristics rapidly, short-circuit, operate pressure relief vent, or leak electrolyte.

Product Specification	Guideline-ALV-S1-5		
Application Guidelines	Guidelines-2		
 1.3 Common Application Conditions to Avoid The following misapplication load conditions will cause rapid deterioration of a capacitor's electrical parame In addition, rapid heating and gas generation within the capacitor can occur, causing the pressure relief ver of electrolyte. Under extreme conditions, explosion and fire ignition could result. The leaked electrolyte is combustible and electrically conductive. (1) Reverse Voltage DC capacitors have polarity. Verify correct polarity before insertion. For circuits with changing or unc capacitors. DC bipolar capacitors are not suitable for use in AC circuits.	nt to operate and resultant leaka	ge	
 (2) Charge / Discharge Applications Standard capacitors are not suitable for use in repeating charge/discharge applications. For charge/ c with your actual application condition. For rush current, please to not exceed 100A. (3) ON-OFF circuit 	discharge applications, consult u	IS	
Do not use capacitors in circuit where ON-OFF switching is repeated more than 10000 times/per da In case of applying to the theses ON-OFF circuit, consult with us about circuit condition and so on. (4) Over voltage	•		
Do not apply voltages exceeding the maximum specified rated voltage. Voltages up to the surge volta short periods of time. Ensure that the sum of the DC voltage and the superimposed AC ripple voltage does not exceed the rate of the transmission of the DC voltage and the superimposed AC ripple voltage does not exceed the rate of the transmission of the DC voltage and the superimposed AC ripple voltage does not exceed the rate of the transmission of transmission of the transmission of the transmission of the transmission of transmission of the transmission of transmission o			
 (5) Ripple Current Do not apply ripple currents exceeding the maximum specified value. For high ripple current applications, use a capacitor designed for high ripple currents. In addition, consult us if the applied ripple current is to be higher than the maximum specified value. Ensure that rated ripple currents that superimposed on low DC bias voltages do not cause reverse voltage conditions. 1.4 Using Two or More Capacitors in Series or Parallel (1) Capacitors Connected in Parallel The circuit resistance can closely approximate the series resistance of the capacitor, causing an imbalance of ripple current loads within the capacitors. Careful wiring methods can minimize the possible application of an excessive ripple current to a capacitor. (2) Capacitors Connected in Series			
 Differences in normal DC leakage current among capacitors can cause voltage imbalances. The use of voltage divider shunt resistors with consideration to leakage currents can prevent capacitor 1.5 Capacitor Mounting Considerations (1) Double-Sided Circuit Boards Avoid wiring pattern runs, which pass between the mounted capacitor and the circuit board. (2) Land/ Pad Pattern 	voltage imbalances.		
[Table of Board Land S	ize vs. Capacitor Size] [mm]		
$c \qquad \qquad Size / Dimension \\ \hline B & (\phi 4) \\ \hline C & (\phi 5) \\ \hline D & (\phi 6.3) \\ \hline D8 & (\phi 6.3 \times 7.7L) \\ \hline E & (\phi 8 \times 6.2L) \\ \hline F & (\phi 8 \times 10.2L) \\ \hline G & (\phi 10 \times 10.2L) \\ \hline Uh & (d 4 \oplus 5) \\ \hline H & (d 4 \oplus$	a b c 1.0 2.5 1.6 1.5 2.8 1.6 1.8 3.2 1.6 1.8 3.2 1.6 3.1 4.0 2.0 4.6 4.1 2.0		
H $(\phi \ 12.5)$ J $(\phi \ 16)$ K $(\phi \ 18)$	4.0 5.7 2.0 6.0 6.5 2.5 6.0 7.5 2.5		
* The land pattern and size shall be decided in consideration of mountability, solderbility and strength.			
 (3) Clearance for Case Mounted Pressure Relief (≥ φ 10 mm) Capacitors with case mounted pressure relief require sufficient clearance to allow for proper pressure relief network in the minimum clearance are dependent on capacitor diameters as follows. (Dia 10mm ~ Dia 16mm : 2mm minimum, Dia 18mm : 3mm minimum) (4) Wiring Near the Pressure Relief (≥ φ 10 mm) Avoid locating high voltage or high current wiring or circuit board paths above the pressure relief . Flamm exceeds 100° C may be released which could dissolve the wire insulation and ignite. (5) Circuit Board Patterns Under the Capacitor 		ıt	

Avoid circuit board runs under the capacitor, as an electrical short can occur due to an electrolyte leakage.

1.6 Electrical Isolation of the Capacitor

Completely isolate the capacitor as follows.

• Between the cathode and the case and between the anode terminal and other circuit paths.

1.7 Capacitor Sleeve

The laminate coating is intended for marking and identification purposes and is not meant to electrically insulate the capacitor.

Product Specification	Guideline-ALV-S1-5
Application Guidelines	Guidelines-3
 2. Capacitor Handling Techniques 2.1 Considerations Before Using (1) Capacitors have a finite life. Do not reuse or recycle capacitors from used equipment. (2) Transient recovery voltage may be generated in the capacitor due to dielectric absorption. If required, this voltage can be discharged with a resistor with a value of about 1 kΩ. (3) Capacitors stored for a long period of time may exhibit an increase in leakage current. This can be corrected by gradually applying rated voltage in series with a resistor of approximately 1 kΩ. (4) If capacitors are dropped, they can be damaged mechanically or electrically. Avoid using dropped capacitors Should not be used. The seal integrity can be damaged and loss of electrolyte. 2.2 Capacitor Insertion (1) Verify the correct capacitance and rated voltage of the capacitor. (2) Verify the correct polarity of the capacitor before insertion. (3) Verify the correct polarity of the capacitor before insertion. (3) Verify the correct polarity of the capacitor tare before insertion. (3) Verify the correct polarity of the capacitor tare before insertion. (3) Verify the correct polarity of the capacitor tare before insertion. (4) For chip type capacitors, excessive mounting pressure can cause high leakage current, short circuit, or discon 2.3 Manual Soldering (1) Observe temperature and time soldering specifications or do not exceed temperature of 350 °C for 3 seconds (2) If a soldered capacitor must be removed and reinserted, avoid excessive stress on the capacitor faultre. 2.4 Retiow Soldering (3) Surveid physical contacts between the tip of the soldering. (4) When reflow solder is used an ambient heat condition system such as the simultaneous use of infrared and h (5) Deserve troper soldering conditions (temperature, time, etc.). Do not exceed the specified limits. (4) The track on top markin	s, /shortened life can result. nnection. or less. not-air is recommended. glue. ed. et o deformation by se is less than 3degC/sec. seal. t. eate the seal and cause equirements based on the electrolytic capacitor.
 board. Avoid drying temperatures, which exceed the Upper category temperature of the capacitor. (4) Monitor the contamination levels of the cleaning solvents during use in terms of electrical conductivity, pH, specific chlorine levels can rise with contamination and adversely affect the performance of the capacitor. (5) Depending on the cleaning method, the marking on a capacitor may be erased or blurred. 	
Please consult us if you are not certain about acceptable cleaning solvents or cleaning methods.	
 2.7 Mounting Adhesives and Coating Agents When using mounting adhesives or coating agents to control humidity, avoid using materials containing halogena Also, avoid the use of chloroprene based polymers. Harden on dry adhesive or coating agents well lest the solvent should be left. 	ted solvents.

After applying adhesives or coatings, dry thoroughly to prevent residual solvents from being trapped between the capacitor and the circuit board.

Product Specification	Guideline-ALV-S1-5
Application Guidelines	Guidelines-4

2.8 Fumigation

In exporting electronic appliances with aluminum electrolytic capacitors, in some cases fumigation treatment using such halogen compound as methyl bromide is conducted for wooden boxes.

If such boxes are not dried well, the halogen left in the box is dispersed while transported and enters in the capacitors inside.

This possibly causes electrical corrosion of the capacitors. Therefore, after performing fumigation and drying make sure that no halogen is left.

Don't perform fumigation treatment to the whole electronic appliances packed in a box.

3. Precautions for using capacitors

3.1 Environmental Conditions

Capacitors should not be stored or used in the following environments.

- (1) Exposure to temperatures above the upper category or below the lower category temperature of the capacitor.
- (2) Direct contact with water, salt water, or oil.
- (3) High humidity conditions where water could condense on the capacitor.
- (4) Exposure to toxic gases such as hydrogen sulfide, sulfuric acid, nitric acid, chlorine, Chlorine compound, Bromine, Bromine compound or ammonia.
- (5) Exposure to ozone, radiation, or ultraviolet rays.
- (6) Vibration and shock conditions exceeding specified requirements.

3.2 Electrical Precautions

- (1) Avoid touching the terminals of a capacitor as a possible electric shock could result. The exposed aluminum case is not insulated and could also cause electric shock if touched.
- (2) Avoid short circuiting the area between the capacitor terminals with conductive materials including liquids such as acids or alkaline solutions.
- (3) A low-molecular-weight-shiroxane which is included in a silicon material shall causes abnormal electrical characteristics.

4. Emergency Procedures

- (1) If the pressure relief of the capacitor operates, immediately turn off the equipment and disconnect from the power source. This will minimize an additional damage caused by the vaporizing electrolyte.
- (2) Avoid contact with the escaping electrolyte gas, which can exceed 100 °C temperatures.
- If electrolyte or gas enters the eye, immediately flush the eye with large amounts of water.
 - If electrolyte or gas is ingested by mouth, gargle with water.
 - If electrolyte contacts the skin, wash with soap and water.

5. Long Term Storage

Leakage current of a capacitor increases with long storage times. The aluminum oxide film deteriorates as a function of temperature and time. If used without reconditioning, an abnormally high current will be required to restore the oxide film.

This surge current could cause the circuit or the capacitor to fail.

Storage period is one year. When storage period is over 12 months, a capacitor should be reconditioned by applying the rated voltage in series with a 1000 Ω current limiting resistor for a time period of 30 minutes.

For storage condition, keep room temperature (5°C~35°C) and humidity (45%~85%) where direct sunshine doesn't reach.

5.1 Environmental Conditions

- (1) Exposure to temperatures above the upper category or below the lower category temperature of the capacitor.
- (2) Direct contact with water, salt water, or oil.
- (3) High humidity conditions where water could condense on the capacitor.
- (4) Exposure to toxic gases such as hydrogen sulfide, sulfuric acid, nitric acid, chlorine, Chlorine compound, Bromine, Bromine compound or ammonia.
- (5) Exposure to ozone, radiation, or ultraviolet rays.
- (6) Vibration and shock conditions exceeding specified requirements.

6. Capacitor Disposal

When disposing capacitors, use one of the following methods.

- (1) Incinerate after crushing the capacitor or puncturing the can wall (to prevent explosion due to internal pressure rise).
- (2) Dispose as solid waste.

NOTE : Local laws may have specific disposal requirements which must be followed.