

4 3 2 1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
E		UPDATE PER ECO-14-000182	6 JAN 14	GS	CAS		

POSITION 9
 2X ϕ .096
 ϕ .088
 .298 \pm .010
 .565
 .775 \pm .010
 POSITION 1
 1

VIEW A-A
 3
 98278 YYWW

.183 \pm .003
 .406 \pm .010
 .081
 .390 \pm .010
 18.0 MIN 2
 TE 1532007-5
 3

PIN CONTACT
 COPPER ALLOY, GOLD PLATED
 INSULATOR
 SHELL, CADMIUM PLATED
 9X .036
 .005
 4
 EPOXY
 .270 MAX

1 SHELL MATERIAL: 6061-T6 ALUMINUM, CADMIUM PLATE PER SAE-AMS-QQ-P-416.
 INSULATOR MATERIAL: RYTON, POLYPHENYLENE SULFIDE (PPS), COLOR BLACK, PER ASTM D406
 2 THIS CONFIGURATION TO BE TERMINATED WITH 26AWG, 7/34 COLOR CODED PER MEP 217-00, CODE 00.
 3 MARK PER MEP203-12, CODES B, C, D AND E AS SHOWN
 4 EPOXY ENCAPSULATION. EPOXY MAY WICK .125 INCH MAX

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	23 FEB 94	TE Connectivity	
DIMENSIONS: INCHES		CHK	CAMPOS	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	-	FLYING LEAD ASSEMBLY, PLUG, SIZE 9, MCK-C2-B-9P6A7-18.0 MDC P/N 094-0105-0015	
0 PLC \pm -		PRODUCT SPEC	-	SIZE	RESTRICTED TO
1 PLC \pm -		APPLICATION SPEC	-	A2	-
2 PLC \pm .005		WEIGHT	-	CAGE CODE	DRAWING NO
3 PLC \pm .010		CUSTOMER DRAWING	-	98278	1532007-5
4 PLC \pm -		SCALE	3:1	SHEET	1 OF 1
ANGLES \pm 2°		REV	E		
MATERIAL	FINISH				
SEE NOTES	SEE NOTES				

1471-9 (3/11) 1532007-5