

Actual

Thomas&Betts

Catalog Number: Product ID: UPC Number: EAN Number: Status: **C10-PS-D** 7TAI029620R0036 78621093627 05414363934943 A

Non-Insulated Parallel Splice, Length 0.30 Inch, Outer Diameter 0.22 Inch, Inner Diameter 0.17 Inches, Wire Range #12-#10 AWG 5,180 kcmil-13,100 kcmil, Copper, Tin Plated

- Resistant to corrosion and preserve the electrical integrity of the wires in single or multiple strands.
- Feature an intelligent constructable part number for quick identification of the wire range.
- Application Tools: ERG4002, ERG4005, WT111M, WT112M, WT2000

North American Specifications (UNSPSC)	
UNSPSC	39121449 Wire or cable compression splice
IGCC	4669 Wire or cable compression splice
Туре	Non-Insulated Parallel Splice
Special Features	Resistant to corrosion and preserve the electrical
	integrity of the wires in single or multiple strands.
	Feature an intelligent constructable part number for
	quick identification of the wire range.
Standard	UL E9809
Material	Copper
Finish	Tin Plated
Color	Metallic
Voltage Rating	600 V

## **European Specifications (ETIM)**

ETIM	EC001059 Crimp splices for copper conductor
Material	Copper
Surface protection	Tinned
Insulation	None

## Packaging

Inner Quantity	500
Inner Dimensions (inches)	3.25x2.75x2.25
Outer Quantity	5000
Outer Dimensions (inches)	16.5x6.75x4.5
Weight Uom	0.13 lbs. per 100

## **Documents / Support Tools**

Technical Drawing / Data Sheet

WSD-000229

## For further technical assistance, please contact us...

ABB Installation Products Technical Support MS 3B-50 860 Ridge Lake Blvd. Memphis, TN 38120 Hours: 7AM - 6PM CDT Monday-Friday Phone: (888) 862-3289 Fax: (901) 252-1321 Email:techsupport@tnb.com

ABB Installation Products - USA 860 Ridge Lake Blvd. Memphis, TN 38120 www.tnb.com